

```

SQL> set pagesize 35;
SQL> BREAK ON DEPTNO SKIP 2;
SQL> P
1  SELECT deptno, ename, sal
2  FROM emp
3  WHERE deptno>10
4* ORDER BY deptno

```

DEPTNO	ENAME	SAL
20	SMITH	800
	JONES	2975
	SCOTT	3000
	FORD	3000
	ADAMS	1100
30	ALLEN	1600
	JAMES	950
	TURNER	1500
	BLAKE	2850
	MARTIN	1250
	WARD	1250

Figura 3-9

```

SQL> COLUMN DEPTNO HEADING Department
SQL> COLUMN ENAME HEADING Employee
SQL> COLUMN SAL HEADING Salary
SQL> COLUMN COMM HEADING Commission
SQL> SELECT DEPTNO, ENAME, SAL, COMM
2  FROM EMP
3  WHERE JOB = 'SALESMAN';

```

Department	Employee	Salary	Commission
30	ALLEN	1600	300
	WARD	1250	500
	MARTIN	1250	1400
	TURNER	1500	0

SQL> |

Figura 3-10

```
SQL> COLUMN ENAME HEADING 'Nombre de|Empleado';
SQL> r
  1 SELECT DEPTNO, ENAME, SAL, COMM
  2 FROM EMP
  3* WHERE JOB = 'SALESMAN'
```

Department	Nombre de Empleado	Salary	Commission
30	ALLEN	1600	300
	WARD	1250	500
	MARTIN	1250	1400
	TURNER	1500	0

SQL> |

Figura 3-11

```
SQL> SET UNDERLINE =
SQL> r
  1 SELECT DEPTNO, ENAME, SAL, COMM
  2 FROM EMP
  3* WHERE JOB = 'SALESMAN'
```

Department	Nombre de Empleado	Salary	Commission
30	ALLEN	1600	300
	WARD	1250	500
	MARTIN	1250	1400
	TURNER	1500	0

SQL> |

Figura 3-12

```

SQL> set pagesize 35;
SQL> BREAK ON deptno SKIP 2;
SQL> COMPUTE AVG OF sal ON deptno;
SQL> select deptno, ename, sal
2   from emp
3   where deptno>10
4   order by deptno;

```

DEPTNO	ENAME	SAL
20	SMITH	800
	JONES	2975
	SCOTT	3000
	FORD	3000
	ADAMS	1100

	avg	2175
30	ALLEN	1600
	JAMES	950
	TURNER	1500
	BLAKE	2850
	MARTIN	1250
	WARD	1250

	avg	1566,66667

Figura 3-13

```

SQL> COMPUTE STD OF sal ON deptno;
SQL> select deptno, ename, sal
2   from emp
3   where deptno>10
4   order by deptno;

```

DEPTNO	ENAME	SAL
20	SMITH	800
	JONES	2975
	SCOTT	3000
	FORD	3000
	ADAMS	1100

	std	1123,3321
30	ALLEN	1600
	JAMES	950
	TURNER	1500
	BLAKE	2850
	MARTIN	1250
	WARD	1250

	std	668,331255

Figura 3-14

